

14th MEETING OF THE SCIENTIFIC COMMITTEE

7 to 12 September 2026, Tórshavn, Faroe Islands

SC14 - Doc 24

Annual Report of Korea to the Scientific Committee

Korea

**KOREA ANNUAL REPORT ON FISHING
AND OBSERVER IMPLEMENTATION
IN THE SPRFMO CONVENTION AREA
IN 2025**

CONTENTS

1. INTRODUCTION	1
2. DESCRIPTION OF FISHERIES	1
2.1 Trawl fishery	1
2.2 Jigging fishery	2
3. CATCH, EFFORT AND CPUE SUMMARIES	2
3.1 Pelagic trawl fishery	2
3.2 Bottom trawl fishery	5
3.3 Exploratory fishery	5
3.4 Jigging fishery	5
4. FISHERIES DATA COLLECTION	6
4.1 Fisheries catch & effort data collection system	6
5. OBSERVER IMPLEMENTATION REPORT	6
5.1 Observer program design and training	6
5.2 Observer coverage and data collection	7
5.3 Biological sampling and length composition of catches	8
6. ECOSYSTEM APPROACH CONSIDERATIONS	9
6.1 Seabird mitigation measures	9
6.2 Observed interactions with other species of concern	9

1. Introduction

This report summarizes the Republic of Korea's fishing activities and observer implementation in the SPRFMO Convention Area during the 2025 fishing season. Following the resumption of Korean trawl operations in 2024 after a multi-year absence (2020-2023), one pelagic trawl vessel continued fishing operations in the Convention Area in 2025, targeting jack mackerel (*Trachurus murphyi*). No Korean jigging vessel operated in the Convention Area in 2025. In addition, exploratory bottom longline fishing for toothfish, initiated in 2025 under CMM14h-2025, took place during the year and is reported separately in a dedicated progress report. This report provides details on fishing effort, catch, catch-per-unit effort (CPUE), data collection system, and observer coverage, in accordance with the reporting requirements of the SPRFMO.

2. Description of Fisheries

2.1 Trawl fishery

The Republic of Korea commenced trawl fishing operations targeting jack mackerel (*Trachurus murphyi*) in the SPRFMO Convention Area in 2003, initially utilizing the research vessel *Tamgu* No.1. Between 2004 and 2019, the number of active Korean trawl vessels ranged from one to three annually (Table 1). No Korean trawl fishing activity occurred in the Convention Area from 2020 to 2023. One commercial trawler resumed operations in 2024, and the same vessel continued trawl fishing operations in 2025.

Table 1. Summary of the number and size of Korean trawlers in the SPRFMO Convention Area.

Year	Number of vessels	Gross Registered Tonnage (GRT)			
		2,000-2,999	3,000-3,999	4,000-4,999	5000<
2004	3	√	√	√	
2005	2	√	√	-	
2006-2008	3	√	√	√	
2009	2		√	√	
2010-2012	2		√		√
2013-2014	1		√		
2015-2016	2		√		√
2017	1		√		
2018-2019	2		√		√
2020-2023	0				
2024	1				√
2025	1				√

2.2 Jigging fishery

Korea's jigging fishery targeting jumbo flying squid (*Dosidicus gigas*) has been commercially active in the SPRFMO Convention Area since 1990. The number of vessels peaked at 50 in 1995 but declined sharply thereafter (Table 2). Throughout the 2000s, vessel numbers remained at low levels, and no Korean jigging vessels operated in the Convention Area from 2021 to 2023. One jigging vessel resumed operations in 2024, but no Korean jigging vessel operated in the Convention Area in 2025.

Table 2. The number of Korean jigging vessels operated in the SPRFMO Convention Area.

Year	Number of vessels	Year	Number of vessels	Year	Number of vessels	Year	Number of vessels
1990	6	2000	14	2010	1	2020	13
1991	24	2001	7	2011	1	2021	0
1992	33	2002	17	2012	6	2022	0
1993	42	2003	5	2013	6	2023	0
1994	49	2004	8	2014	6	2024	1
1995	50	2005	2	2015	2	2025	0
1996	48	2006	1	2016	4		
1997	27	2007	-	2017	8		
1998	-	2008	1	2018	17		
1999	11	2009	1	2019	15		

3. Catch, Effort and CPUE Summaries

3.1 Pelagic trawl fishery

Figure 1 and Table 3 collectively present the annual fishing effort, jack mackerel (CJM, *Trachurus murphyi*) catch, and catch per unit effort (CPUE) by Korean trawlers in the SPRFMO Convention Area from 2004 to 2025. The number of vessels and fishing days increased until 2009, corresponding to a steady rise in CJM catch, which peaked at around 14,000 tonnes. As shown in Figure 1, CPUE also increased during this period, reaching the highest level in 2009, indicating higher fishing efficiency. From 2010 onward, both fishing effort and catch declined, and the trend in CPUE largely reflects the catch pattern described in Table 3. No fishing activity was reported from 2020 to 2023, and the resumption in 2024 resulted in notably lower catch and CPUE compared to previous years. Effort and catch declined further in 2025. The vessel fished for only 8 days (13 tows), and CJM catch fell to approximately 95 tonnes, with CPUE (about 1.0 tonne/hour) the lowest recorded in the time series.

In addition to jack mackerel, Korean trawlers also reported catches of chub mackerel (MAS, *Scomber japonicus*), although at generally lower levels. As shown in Table 3, MAS catches varied considerably across years, with the highest recorded catch of 1,460 tonnes in 2006. Since 2010, reported MAS catch has remained relatively low, often below 500 tonnes, and in some years (e.g. 2012 and 2014) it dropped close to zero. In 2024, MAS catch increased noticeably to 519 tonnes, marking the highest proportion since 2004, before falling back to approximately 6 tonnes in 2025 in line with the sharply reduced overall fishing effort.

In 2025, the reported bycatch species included southern Ray's bream (*Brama australis*, UBA), jumbo flying squid (*Dosidicus gigas*, GIS), swordfish (*Xiphias gladius*, SWO), Pacific pomfret (*Brama japonica*, BPQ), porbeagle shark (*Lamna nasus*, POR), opah (*Lampris guttatus*, LAG), and tunas nei (TUN). The catch of these species ranged from less than 1 tonne to a maximum of about 10 tonnes (UBA).

The spatial distribution of fishing operations conducted in the Convention Area in 2025 is described in

Figure 2. Each point represents the start position of an individual tow. Unlike in 2024, when operations extended further north and south, the 13 tows conducted in 2025 were concentrated in a comparatively small area between 22°S and 27°S latitude and 74°W to 75°W longitude, reflecting the short duration of the 2025 trip.

The distributions of CPUEs (tonne/hour) of the two main species (CJM, MAS) in 2025 are described in Figure 3. Both species were distributed within the same limited area as the overall fishing effort, between 22°S and 27°S, and 74°W and 75°W. The relative size of the CPUE points indicates that CJM catch rates were consistently higher than MAS across all tow positions.




Figure 1. Annual catch and CPUE (tonne/hour) of jack mackerel in the SPRFMO Convention Area, 2004-2025. No fishing conducted in the Convention area from 2020 to 2023.

Table 3. Annual fishing effort (number of vessels, fishing days, and tows) and catch (tonnes) of jack mackerel (CJM), chub mackerel (MAS), and other species by Korean trawlers in the SPRFMO Convention Area from 2004 to 2025. Data include only days when fishing activity occurred.

Year	Number of Vessels	*Number of Fishing days	Number of Tows	Total towed hours	CJM (tonne)	MAS (tonne)	Other species (tonne)	Total catch (tonne)
2004	3	205	N/A	N/A	7,438	708	0	8,146
2005	2	170	N/A	N/A	9,126	381	0	9,507
2006	3	232	N/A	N/A	10,474	1,460	0	11,934
2007	3	237	N/A	N/A	10,940	1,240	0	12,180
2008	3	249	N/A	N/A	12,600	968	0	13,568
2009	2	182	N/A	N/A	13,759	716	59	14,534
2010	2	136	N/A	N/A	8,183	84	0	8,267
2011	2	205	N/A	N/A	9,253	24	100	9,377
2012	2	117	N/A	N/A	5,492	0	0	5,492
2013	1	140	N/A	975	5,267	111	0	5,378
2014	1	86	N/A	652	4,078	21	0	4,099
2015	2	104	N/A	900	5,749	82	3	5,834
2016	2	182	N/A	1,581	6,430	486	16	6,931
2017	1	40	N/A	225	1,235	191	3	1,429
2018	2	138	209	882	3,717	246	86	4,049
2019	2	111	249	1,427	7,444	82	96	7,622
2020-2023	0	0	0	0	0	0	0	0
2024	1	80	106	852	1,797	519	69	2,385
2025	1	8	13	94	95	6	11	112

* No. of fishing days: only days of fishing activity occurred.




Figure 2. Spatial distribution of trawl fishing activity in the SPRFMO Convention Area in 2025.




Figure 3. Distribution of CPUE (tonne/hour) of jack mackerel (CJM) and chub mackerel (MAS) in the SPRFMO Convention Area in 2025.

3.2 Bottom trawl fishery

Korea did not conduct any bottom trawl fishery in the recent years. The Korean bottom trawl fishery, which primarily targeted orange roughy (*Hoplostethus atlanticus*), has not been active in the SPRFMO Convention Area since 2008 (see SC6-Doc27).

3.3 Exploratory fishery

Exploratory bottom longline fishing for toothfish, initiated in 2025 under CMM14h-2025, was conducted by a Korean vessel during the year. The details of this exploratory fishery, including catch, effort, and observer data, are reported separately in a dedicated progress report and are not included in this national report.

3.4 Jigging fishery

The annual fishing effort (in fishing days) and catch by Korean jigging vessels, which primarily target jumbo flying squid (*Dosidicus gigas*), from 2015 to 2025 are summarized in Table 4. The number of vessels operating in the Convention Area peaked in 2018 but has declined since then. No fishing was conducted between 2021 and 2023. One jigging vessel resumed fishing for a limited number of days in 2024, but no Korean jigging vessel operated in the SPRFMO Convention Area in 2025.

Table 4. Annual fishing efforts (number of vessels and fishing days) and catches of jumbo flying squid by Korean jigging fisheries in the SPRFMO Convention Area.

Year	No. Vessels	No. Fishing days	Avg. fishing days/vessel	Total catch (tonne)
2015	2	151	76	4,263
2016	4	409	102	4,388
2017	8	456	57	3,460
2018	17	1,003	59	3,651
2019	15	1,037	69	5,577
2020	13	212	16	1,003
2021-2023	0	0	0	0
2024	1	53	53	128
2025	0	0	0	0

4. Fisheries Data Collection

4.1 Fisheries catch & effort data collection system

The data collection system for Korean high-seas fishing vessels underwent a significant change in 2015. Prior to that, the system was operated in a dual format: total catch data were collected by the Korea Overseas Fisheries Association (KOFA), while the fishing logbooks were collected and managed by the National Institute of Fisheries Science (NIFS).

Since September 2015, detailed tow-by-tow catch and effort data from all Korean high-seas fishing vessels have been reported via an Electronic Reporting System (ERS) to Fisheries Monitoring Center (FMC) under the Ministry of Oceans and Fisheries (MOF) of the Republic of Korea. These data from vessels operating in the SPRFMO Convention Area are submitted to the Secretariat in accordance with SPRFMO data standard.

5. Observer Implementation Report

5.1 Observer program design and training

The Korean scientific observer program for distant-water fisheries has been in place since 2002. According to the Enforcement Decree of the Distant-Water Fisheries Development Act, the program is jointly operated by two organizations: 1. the National Institute of Fisheries Science (NIFS) and 2. the Korea Fisheries Resources Agency (FIRA).

NIFS is responsible for scientific analysis tasks, including briefing and debriefing observers, managing observer data, verifying data quality, and providing training on the Conservation and Management Measures (CMMs) of relevant Regional Fisheries Management Organizations (RFMOs). FIRA oversees the overall operation of the observer program, excluding the responsibilities assigned to NIFS.

Observer training under the Korean program is categorized into four types: 1. Candidate training for new recruits, 2. Regular training for all active observers, 3. Self-development training, and 4. Pre-survey training before deployment.

The observer recruitment process begins with a document screening of application forms and CVs based on the following qualifications: a university graduate with a degree in natural sciences, or a vocational high school graduate in fisheries who has at least one year of onboard experience and holds a deck officer certificate.

Candidates who pass the document screening are invited to an in-person interview, which assesses their basic fisheries knowledge, English communication skills, and availability for deployment. Those who pass the interview attend the candidate training course. Only those who pass the final assessment at the end of the training become eligible for deployment.

NIFS provides regular training twice a year for certified observers who are temporarily off duty. The curriculum includes updated CMMs of relevant RFMOs, safety procedures, identification and handling of protected species (such as marine mammals, seabirds, and Vulnerable Marine Ecosystems), as well as ethics and integrity training.

In cases where group training is limited or not feasible, self-development training is encouraged. Observers are financially supported to improve skills such as English language proficiency, computer literacy, and other relevant capabilities.

Before each deployment, pre-survey training is conducted by NIFS to provide observers with RFMO-

specific CMMs, instructions on data and biological sample collection, and detailed guidance on completing survey reports.

Following a formal Accreditation Assessment, the Korean scientific observer program was approved by the SPRFMO Commission in 2022.

Table 5. Types of observer training process by the Korean scientific observer program

Type of training	Candidate training	Regular training	Self-development training	Pre-survey training
Organization	FIRA	FIRA	FIRA	NIFS
Period	Only once	Biannual	Time of need	Before every dispatching
Materials	An overview of the observer program, Gear-specific observer duties, Identification and measurement for target species, Observation of sharks/whales/seabirds, Observation of Vulnerable Marine Ecosystems (VMEs), Hand-on computer program training, Marine species identification, Introduction of RFMOs, Systematic management of fishing information, Catch product processing, Marine meteorology, At-sea safety training English (maritime everyday), Organizational structure and culture of a ship, and Fish dissection LAB	Scientific research, Protected species (seabirds, mammals), Identification on VMEs, Safety education, and Integrity education	English, Computer skill, and Physical training	Update on RFMO's CMMs, Scientific survey process, How to write logbook, Sample collection method, and Preparation of survey report

5.2 Observer coverage and data collection

Korean scientific observers collect a wide range of biological and operational data from both target and bycatch species to support stock assessments and other scientific analyses. The data collected are based on the requirements outlined in SPRFMO CMM 02-2026 Annex 7, and are submitted following the official Data Submission Template (<https://sprfmo.int/fisheries/data-2/data-submission>).

Observer coverage for Korean trawl vessels in the SPRFMO Convention Area began in 2008. That year, two trawlers operated, and one observer was deployed across both vessels for a total of 9 days. No observers were deployed during 2009–2010. In 2011 and 2012, one observer was placed on a single trawler in each year, with coverage levels of 6.8% and 58.1%, respectively. Since 2013, 100% observer coverage has been maintained for all Korean bottom trawl operations in the Convention Area. The Korean observer program was expanded to include commercial jigging vessels starting in 2015. In 2020, one observer was deployed on a jigging vessel, achieving an observer coverage rate of 20% based on total fishing days. Detailed observer coverage statistics are summarized in Table 6.

In 2024, three observers were deployed: two observers boarded a trawler during separate time periods, and one observer was assigned to a jigging vessel that resumed fishing operations in the Convention Area. In 2025, one NIFS observer was deployed on board the trawler *F/V Sejong*, covering the entirety of its fishing trip (all 13 tows over 8 fishing days). As no jigging vessel operated in the Convention Area in 2025, no observer was deployed for that fishery.

Table 6. Scientific observer coverage on Korean vessels in the SPRFMO Convention Area.

Year	Gear types	Vessel name	Observer onboard days	Coverage rate of the vessel (total coverage of the fishing method)
2008	Trawl	<i>F/V Insungho</i>	3	4%
	Trawl	<i>F/V Kwangjaho</i>	6	
2011	Trawl	<i>F/V Kwangjaho</i>	14	6.8%
2012	Trawl	<i>F/V Kwangjaho</i>	68	58.1%
2013	Trawl	<i>F/V Kwangjaho</i>	140	100% (100%)
2014	Trawl	<i>F/V Kwangjaho</i>	86	100% (100%)
2015	Trawl	<i>F/V Kwangjaho</i>	120	100% (100%)
	Trawl	<i>F/V Sejong</i>	10	100% (100%)
	Jigging	<i>F/V No.705 Amor</i>	75	100% (50%)
2016	Trawl	<i>F/V Kwangjaho</i>	179	100% (100%)
	Trawl	<i>F/V Sejong</i>	28	100% (100%)
2017	Trawl	<i>F/V Kwangjaho</i>	88	100% (100%)
2018	Trawl	<i>F/V Kwangjaho</i>	134	100% (100%)
	Trawl	<i>F/V Sejong</i>	37	100% (100%)
	Jigging	<i>F/V No.703 Amor</i>	93	100% (17%)
	Jigging	<i>F/V No.101 Agnes</i>	82	100% (17%)
2019	Trawl	<i>F/V Kwangjaho</i>	194	100% (100%)
	Trawl	<i>F/V Sejong</i>	17	100% (100%)
	Jigging	<i>F/V No.705 Amor</i>	88	84% (18%)
	Jigging	<i>F/V No.316 Sunhae</i>	99	86% (18%)
2020	Jigging	<i>F/V No. 5 Sae In</i>	*103	86%(20%)
2024	Trawl	<i>F/V Sejong</i>	100	100% (100%)
	Jigging	<i>F/V 5 Dong Il</i>	100	100% (100%)
2025	Trawl	<i>F/V Sejong</i>	8	100% (100%)

* The observer embarked from the domestic port due to COVID-19 and sailed to the Convention Area

5.3 Biological sampling and length composition of catches

Length frequency distributions and length-weight relationships of jack mackerel (CJM) and chub mackerel (MAS) collected during the 2025 observation period are summarized in Figures 4 and 5. A total of 932 individuals were measured for length, comprising 796 CJM and 50 MAS, together with a small number of individuals from seven additional bycatch species (UBA, GIS, SWO, BPQ, POR, LAG, ELC); all measured individuals also had corresponding weight data. The length frequency distribution of CJM showed a prominent mode around 18 cm in fork length, while MAS lengths were more broadly distributed between approximately 24 and 38 cm. The length-weight relationship for jack mackerel was estimated using non-linear least squares regression based on 796 individuals, yielding $W = 1.075 \times 10^{-5} L^{2.986}$, where W is the body weight (g) and L is the fork length (mm), with a coefficient of determination of $R^2 = 0.990$. Similarly, the relationship for chub mackerel was estimated using 50 individuals, yielding $W = 9.403 \times 10^{-7} L^{3.436}$ ($R^2 = 0.970$).




Figure 4. Length frequency distributions of jack mackerel (CJM) and chub mackerel (MAS) collected by scientific observers in 2025.




Figure 5. Length-weight relationships of jack mackerel (CJM) and chub mackerel (MAS) collected by scientific observers in 2025.

As no Korean jigging vessel operated in the SPRFMO Convention Area in 2025, no jumbo flying squid (*Dosidicus gigas*) length data were collected during the year.

6. Ecosystem Approach considerations

6.1 Seabird mitigation measures

All Korean trawl vessels fishing in the SPRFMO Convention Area are required to comply with seabird mitigation measures specified in CMM 09-2017. The requirements include deployment of streamer (tori) lines or bird bafflers where it is not operationally feasible to use streamer lines and management of discharge of biological material. Trawl vessels are prohibited from discharging biological material during shooting and hauling.

6.2 Observed interactions with other species of concern

All scientific observers execute daily observation of seabirds at least once every set or haul for more

than 15 minutes. Observers are instructed to observe whether seabirds are dipping their beaks or heads into the water near the net to feed on during fishing. The quantitative information on seabird observation is submitted by observers. A total of 24 species of seabirds were observed on trawl vessels from 2013 to 2025, and nine species were observed on jigging vessels from 2019 to 2024 (Table 7). There were no injured, struck or dead seabirds observed or reported from 2013 to 2025.

Table 7. A list of observed seabirds by scientific observers (2013-2024) in the SPRFMO Convention Area.

Observed fishing vessel	FAO species code	Scientific name	English name
Trawl	CSK	<i>Catharacta skua</i>	Great skua
Trawl, Jigging	DAC	<i>Daption capense</i>	Cape petrel
Jigging	DAQ	<i>Phoebastria albatrus</i>	Short-tailed Albatross
Trawl	DCR	<i>Thalassarche chlororhynchos</i>	Yellow-nosed Albatross
Trawl	DIB	<i>Thalassarche bulleri</i>	Buller's albatross
Trawl	DIC	<i>Thalassarche chrysostoma</i>	Grey-headed albatross
Trawl, Jigging	DIM	<i>Thalassarche melanophrys</i>	Black-browed albatross
Trawl	DIU	<i>Thalassarche cauta</i>	Shy albatross
Trawl, Jigging	DIX	<i>Diomedea exulans</i>	Wandering albatross
Trawl	DMP	<i>Diomedea melanophris</i>	Black browed albatross
Trawl	DSL	<i>Thalassarche salvini</i>	Salvin's albatross
Trawl	DSQ	<i>Sula dactylatra</i>	Masked Booby
Trawl, Jigging	FGZ	<i>Fregetta spp</i>	Storm petrels nei
Trawl	FUG	<i>Fulmarus glacialis</i>	Southern fulmar
Trawl	MAH	<i>Macronectes halli</i>	Hall's giant petrel
Trawl	MAI	<i>Macronectes giganteus</i>	Southern giant petrel
Trawl, Jigging	OCO	<i>Oceanites oceanicus</i>	Wilson's storm petrel
Trawl	PCI	<i>Procellaria cinerea</i>	Grey petrel
Trawl	PFG	<i>Puffinus griseus</i>	Sooty shearwater
Trawl	PHE	<i>Phoebastria palpebrata</i>	Light-mantled albatross
Trawl, Jigging	PRO	<i>Procellaria aequinoctialis</i>	White-chinned petrel
Jigging	PRX	Procellariidae	Petrels nei
Trawl	PWX	<i>Pachyptila spp</i>	Prions nei
Jigging	SZV	<i>Sula variegata</i>	Peruvian booby
Trawl	-	<i>Phaethon spp</i>	Tropicbird
Trawl	-	<i>Pterodroma externa</i>	Juan Fernandez petrel

A total of 14 juvenile porbeagle sharks (*Lamna nasus*) were incidentally caught in 2024, and one further individual (approximately 200 cm) was caught in 2025, as summarized in Table 8. Among the 2024 catches, 3 individuals were released alive, 7 were released in a lethargic condition, and 4 were found dead at retrieval. Efforts were made on board to release the sharks in a live condition whenever possible.

To encourage the reporting on incidental captures of species of concern and non-target species (CMM 02-2025), a poster to aid the identification of bycatch species continues to be provided to Korean fishing vessels, including the trawler operating in 2025 (Figure 6).

Table 8. Summary of species of concern from the Korean vessels in the SPRFMO Convention Area.

Year	Fishing vessels	Species	No. of individuals	Total catch (kg)	Datasets
2015	trawl	Porbeagle shark	7	62	FA, Obs
2016	trawl	Porbeagle shark	8	97	FA, Obs
2017	trawl	Porbeagle shark	2	53	FA, Obs
2018	jigging	Porbeagle shark	1	no info	Obs
2019	trawl	Porbeagle shark	20	276.2	Obs
2024	trawl	Porbeagle shark	14	177	Obs
2025	trawl	Porbeagle shark	1	100	FA, Obs

FA: Fishing activity Data, Obs: Observer data

**Figure 6.** A poster for the identification of bycatch species provided to Korean fishing vessels operating in the SPRFMO Convention Area.